


Orient[®]
Since 1967



ILLUMINATING
THE WORLD OF LIGHT



JL



A Jayanta Group Initiative

**Be An
Intelligent
INDIAN**

#choosethebest

Our Journey |




1967

1999

2016

C O N T E N T S


Legacy	4	Magic Downlight	72
GLS Display	6	Wonder Downlight	74
Awards and Recognition	8	Wonder 2 in 1	76
Cosumer Lighting		Magna Series	80
Aura 0.5w Led Bulb	14	Lux Surface Down Light.....	88
Glow Led Bulb	16	Cob Light	
Chiara Emergency Bulb.....	20	Flash Mini Spot	92
10w Desire Trio	22	Evershine Cob Spot Light.....	94
Elina Batten	26	Zest Movable Cob Light.....	96
Commercial Lighting		Lumino Spot Light.....	98
Airy Panel	30	Track Light	
Airy Ring.....	32	Lumi Track Light	102
Crescent Panel	34	Ilo Square Track Light.....	104
Breyon Panel	36	Shine Adjustable Track Light.....	106
Sapphire Panel.....	38	Adore Track Light	108
Amos Panel	40	Dora Cct Dimable Track Light.....	110
Edge Surface Panel	42	Ixia Hanging Light	112
Elite Panel	44	Sana Bulk Head.....	114
Supple Panel.....	46	LED Strip cum Rope Light	
Blaze Panel	50	Ambi Strip Light	118
Bizzare Smart Panel	52	Outdoor Light	
Downlight		Elumx Flood Light	122
Flame Nextgen Deep Light.....	56	Elumx Street Light.....	124
Dazzle Downlight	60	Elumx Pro	126
Pearl Downlight	62	Gls Night Lamp.....	128
Brio Downlight	64	Gls Bulb.....	130
Robot Downlight	66	Our Pan India Network	132
Kindle Downlight.....	68	Notes.....	134
Amaze Downlight.....	70		



There are no limits to what
you can accomplish,
except the limits you wish to
place on yourself.



The Jayanta Group made history by being the fastest growing lighting company in Eastern India by providing energy efficient quality solutions for Five Decades as a successful journey initiated by Late Shri Kali Shadan Das in light manufacturing through Jayanta Lamp Industries under the Brand "Orient". Jayanta Glass Industries Pvt. Ltd. had been the largest Glass Shell manufacturing unit in the Country with indigenously designed plant & machinery developed in-house only after great research. Energy efficient green technology conserved costs. The brand, "Orient" emerged as synonymous of quality lighting solutions at affordable price and is established by fair practices across the country. In due course the business under Brand "Orient" stands diversified under the Jayanata Lighting Innovation LLP, a dedicated facility initiated by Mr Das Family & Jayanta Group, for taking the GLS Bulbs and LED Lights under brands "Orient" to new heights.





"HUMAN EVOLUTION WITH LIGHTING" in 1879 EDISON invented bulb which started a new ERA of Civilization & since then the artificial light has changed our world completely. The Jayanta Group lead by the legendary visionary entrepreneur, Mr. Late Kali Sadhan Das was a pioneering start-up venture in 1967 & was way ahead of its time on mainland India producing 6,00,000 to 8,00,000 units of GLS BULBS per day. All the machines were developed in-house under the guidance of, the mastermind Mr. Das. The brand "Orient" was his brainchild & its technological innovation had been illuminating the Indian Households & Business from last 56 years. We consistently strive to improve our product-lines significantly with durable & affordable products. Being an ISO 9001:2015 Certified Company our products have passed many quality standards and we are committed for continuous improvement.



1985

The Managing Director of Jayanta Lamp Industries (P) Ltd., Shri Kali Sadhan Das receiving the National Award for Best Entrepreneur from the Hon'ble President of India, Shri Zail Singh.



1987

Claimed 1st Prize for Quality from the Hon'ble President of India, Shri R Venkatraman.



1989

Awarded Udyog Ratna by the Hon'ble President of India, Shri Shankar Dayal Sharma.



1989

Bestowed with appreciation and recognition from the Hon'ble Prime Minister of India, Shri Rajiv Gandhi.



1991

The Hon'ble Chief Minister of West Bengal, Shri Jyoti Basu handing over the award on behalf of Bengal Chamber of Commerce for commendable performance



1995

Recognised for Company Standardisation under the direction of the Managing Director of Jayanta Lamp Industries (P) Ltd., Mrs. Sabita Das by the Hon'ble External Affairs Minister of India, Sri Pranab Mukherjee

Awards & Recognition

Jayanta Group is honored to receive recognition from esteemed personalities in our country. The tireless dedication of Late Shri Kali Sadhan Das in contributing to the welfare of society has earned the group numerous accolades and appreciations. His relentless pursuit of manufacturing indigenous products and providing innovative lighting solutions has been acknowledged through various national awards bestowed upon him.







Orient[®]
Since 1967


Consumer Lighting |





Orient[®]
Since 1967

LED Bulb |



AURA

LED NIGHT LAMP



Product Specifications

CRI	-	>80
BASE	-	B22
POWER FACTOR	-	1
BEAM ANGLE	-	220 DEGREE
COLOUR	-	WHITE, WW, GREEN, ORANGE, YELLOW, BLUE, RED, PINK
SHAPE	-	SPHERICAL
PRODUCT REMARK	-	ENERGY EFFICIENT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
0.5W	50	90	DIA 45 mm	LENGTH 68 mm	60

GLOW

LED BULB



Product Specifications



CRI	- >80
BASE	- B22, E27, E14
POWER FACTOR	- >0.90
BEAM ANGLE	- 180 DEGREE
COLOUR	- 6500K, 3000K
SHAPE	- SPHERICAL
PRODUCT REMARK	- 2 STAR ENERGY EFFICIENT BULB



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
3W	315	142	DIA 50 mm	LENGTH 90 mm	60
5W	525	170	DIA 60 MM	LENGTH 110 mm	60
7W	735	180	DIA 60 MM	LENGTH 110 mm	60
9W	945	190	DIA 60 MM	LENGTH 110 mm	60
12W	1260	380	DIA 65 MM	LENGTH 121 mm	30
15W	1575	410	DIA 70 MM	LENGTH 135 mm	30
18W	1890	420	DIA 80 MM	LENGTH 153 mm	30

GLOW

LED BULB



Product Specifications

CRI	-	>80
BASE	-	B22, E27
POWER FACTOR	-	>0.90
BEAM ANGLE	-	180 DEGREE
COLOUR	-	6500K, 3000K
SHAPE	-	SPHERICAL
PRODUCT REMARK	-	HIGH LUMEN WITH GREAT PERFORMANCE



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
23W	2300	500	DIA 80 mm	LENGTH 141 mm	20
30W	3000	600	DIA 100 mm	LENGTH 177 mm	10
40W	4000	800	DIA 115 mm	LENGTH 197 mm	10
50W	5000	1200	DIA 135 mm	LENGTH 227 mm	10

CHIARA

EMEGENCY BULB



Product Specifications

CRI	-	>80
BASE	-	B22
POWER FACTOR	-	>0.90
BEAM ANGLE	-	180 DEGREE
COLOUR	-	6500K
SHAPE	-	SPHERICAL
PRODUCT REMARK	-	BIG 2200 mAh BATTERY WITH GREAT PERFORMANCE



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
9W	900/380	650	DIA 70 mm	LENGTH 138 mm	20
12W	1200/400	1200	DIA 70 mm	LENGTH 138 mm	20

DESIRE TRIO

3 IN 1



Product Specifications

CRI	- >80
BASE	- B22
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREE
COLOUR	- 6K-4K-3K, RED/BLUE/PURPLE
SHAPE	- OVAL
PRODUCT REMARK	- HIGH LUMEN WITH GREAT PERFORMANCE AVAILABLE IN SINGLE COLOUR AND TRI COLOUR




WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG	SPECIAL REMARK
10W	900	315	DIA 70 mm	LENGTH 120 mm	30	6K+4K+3K
10W	800	315	DIA 70 mm	LENGTH 120 mm	30	RED/BLUE/PURPLE
7W	800	265	DIA 70 mm	LENGTH 120 mm	30	RED, GREEN, BLUE, PINK





LED Batten |





ELINA

LED SQUARE BATTEN



Product Specifications

CRI	-	>80
BASE	-	WALL MOUNTED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREE
COLOUR	-	6500K, 4000K, 3000K
SHAPE	-	RECTANGLE
PRODUCT REMARK	-	T 5 SLIM BATTEN WITH GREAT PERFORMANCE



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
5W	500	480	-	L 295 mm x W 23.5 mm x H 37.5 mm	20
10W	1000	480	-	L 585 mm x W 23.5 mm x H 37.5 mm	20
20W	2000	530	-	L 1100 mm x W 23.5 mm x H 37 mm	20
36W	4000	900	-	L 1200 mm x W 31 mm x H 40 mm	20





Commercial Lighting |

AIRY

ULTRA SLIM PANEL



Product Specifications


CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K,
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- EDGE LIT PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
8W	720	440	DIA 96 mm 96 mm x 96 mm	DIA 120 mm 120 mm x 120 mm	20
16W	1520	760	DIA 140 mm 140 mm x140 mm	DIA 170 mm 170 mm x 170 mm	20





AIRY

SURFACE RING



Product Specifications

CRI	-
BASE	- RECESSED
POWER FACTOR	-
BEAM ANGLE	-
COLOUR	-
SHAPE	- ROUND
PRODUCT REMARK	- SURFACE RING FOR AIRY PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
8W	-	120	-	-	40
16W	-	160	-	-	40

CRECENT

LED BACKLIT PANEL



Product Specifications


CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREE
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- BACKLIT PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
10W	900	525	DIA 100 mm 100 mm x 100 mm	DIA 115 mm x HEIGHT 30 mm 115 mm x 115 mm HEIGHT 30 mm	40
12W	1440	625	DIA 125 mm 125 mm x 125 mm	DIA 140 mm x HEIGHT 30 mm 140 mm x 140 mm X HEIGHT 30 mm	40
15W	1800	700	DIA 150 mm 150 mm x 150 mm	DIA 170 mm x HEIGHT 30 mm 170 mm x 170 mm X HEIGHT 30 mm	20
20W	2400	925	DIA 195 mm 195 mm x 195 mm	DIA 215 mm x HEIGHT 32 mm 215 mm x 215 mm X HEIGHT 32 mm	10

BREYON

LED PANEL LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- EDGE LIT ALUMINIUM PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
6W	480	380	DIA 105 mm 105 mm x 105 mm	DIA 120 mm X HEIGHT 12 mm 120 mm x 120 mm X HEIGHT 12 mm	40
12W	960	520	DIA 155 mm 155 mm x 155 mm	DIA 178 mm X HEIGHT 12 mm 178 mm x 178 mm X HEIGHT 12 mm	30
18W	1440	870	DIA 200 mm 200 mm X 200 mm	DIA 225 mm X HEIGHT 12 mm 225 mm X 225 mm X HEIGHT 12 mm	20


SAPPHIRE

LED PANEL LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6000K, 4000K, 3000K
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- EDGE LIT P.C. PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
6W	600	400	100 mm	DIA 118 mm X HEIGHT 26 mm 118 mm X 118 mm X HEIGHT 26 mm	30
12W	1200	550	124 mm	DIA 145 mm X HEIGHT 26 mm 145 mm X 145 mm X HEIGHT 26 mm	20
15W	1500	700	153 mm	Dia 168 mm X HEIGHT 26 mm 168 mm X 168 mm X HEIGHT 26 mm	20
20W	2000	800	205 mm	DIA 225 mm X HEIGHT 26 mm 225 mm X 225 mm X HEIGHT 26 mm	10


AMOS

OUTDOOR SURFACE PANEL



Product Specifications


CRI	-	>80
BASE	-	SURFACE MOUNTED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 4000K, 3000K
SHAPE	-	ROUND, SQUARE
PRODUCT REMARK	-	SURFACE PANEL WITH IP 44



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
20W	1800	999	DIA 160 mm 160 mm X 160 mm	DIA 200 mm X HEIGHT 50 mm 200 mm x 200 mm X HEIGHT 50 mm	10
30W	2700	1770	DIA 240 mm 240 mm X 240 mm	DIA 280 mm X HEIGHT 50 mm 280 mm x 280 mm X HEIGHT 50mm	10





EDGE

FULL SCREEN SURFACE PANEL



Product Specifications

CRI	-	>80
BASE	-	SURFACE MOUNTED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 4000K, 3000K
SHAPE	-	ROUND, SQUARE
PRODUCT REMARK	-	P.C. BASED SURFACE PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
8W	800	440	DIA 100 mm 100 mm x 100 mm	DIA 100 mm X HEIGHT 32 mm 100 mm x 100 mm X HEIGHT 32 mm	20
15W	1500	580	DIA 125 mm 125 mm x 125 mm	DIA 125 mm X HEIGHT 32 mm 125 mm x 125mm X HEIGHT 32 mm	20
22W	2200	880	DIA 155 mm 155 mm X 155 mm	DIA 155 mm X HEIGHT 32 mm 155 mm X 155 mm X HEIGHT 32 mm	20

ELITE

ANTI GLARE LED PANEL



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- METAL BASED EDGE LIT PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
8W	600	560	DIA 105 mm 105 mm X 105 mm	DIA 115mm X HEIGHT 28 mm 115 mm x 115 mm x HEIGHT 28 mm	20
16W	1200	960	DIA 155 mm 155 mm X 155 mm	DIA 165 mm X HEIGHT 32 mm 165 mm X 165 mm X HEIGHT 32 mm	10



SUPPLE

MULTY WAY PANEL



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- ADJUSTABLE CUTOUT PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
12W	1200	530	75 - 100 mm	DIA 120 mm X HEIGHT 35 mm 120 mm X 120 mm X HEIGHT 35 mm	40
18W	1800	790	75 - 150 mm	DIA 170 mm X HEIGHT 35 mm 170 mm X 170 mm X HEIGHT 35 mm	20
24W	2400	1050	75 - 200 mm	DIA 225 mm X HEIGHT 35 mm 225 mm X 225 mm X 32 mm	10







LED Office Panel |

BLAZE

OFFICE PANEL



Product Specifications


CRI	-	>80
BASE	-	RECESSED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 4000K
SHAPE	-	SQUARE
PRODUCT REMARK	-	BRIGHT LIGHT COMMERCIAL PANEL



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
24W	2160	1500	285mm x 285 mm	295 mm x 295 mm X HEIGHT 30 mm	10
36W	3600	2800	570 mm X 570 mm	600 mm X 600 mm X HEIGHT 32 mm	6
48W	4320	3000	570 mm X 570 mm	600 mm X 600 mm X HEIGHT 32 mm	6




BIZZARRE

SMART PANEL



Product Specifications

CRI	-	>80
BASE	-	RECESSED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K
SHAPE	-	SQUARE
PRODUCT REMARK	-	



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
48W	4800	2000	-	609.6 mm x 609.6 mm	30





LED Downlight |

FLAME

NEXTGEN DEEP LIGHT



Product Specifications

CRI	-	>80
BASE	-	RECESSED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 3000K, RED, GREEN, BLUE, PINK
SHAPE	-	ROUND
PRODUCT REMARK	-	HIGH EFFICENCY DEEP LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
6W	480	600	DIA 40 mm	DIA 75 mm x HEIGHT 60 mm	30
15W	1200	850	DIA 45 mm	DIA 140 mm X HEIGHT 65 mm	30

FLAME

NEXTGEN DEEP LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 3000K, RED, GREEN, BLUE, PINK
SHAPE	- ROUND
PRODUCT REMARK	- HIGH EFFICENCY DEEP LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
3W	240	220	48 mm	35 mm x 80 mm	60

DAZZLE

LED DOWN LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 3000K, 4000K, 6K+4K+3K RED, GREEN, BLUE, PINK RED-BLUE-PINK GREEN-BLUE-PINK
SHAPE	- ROUND
PRODUCT REMARK	- SLIM DOWNLIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING	SPECIAL REMARK
6W	580	220	DIA 75 mm	DIA 110 mm x HEIGHT 25 mm	50	Unique Colour
6W	580	300	DIA 75 mm	DIA 110 mm x HEIGHT 25 mm	50	Triple Colour

PEARL

LED DOWN LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 3000K, 4000K, RED, GREEN, BLUE, PINK
SHAPE	- ROUND
PRODUCT REMARK	- HIGH LUMENS ENERGY EFFICIENT DOWNLIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
7W	700	250	DIA 75 mm	DIA 110 mm X HEIGHT 65 mm	50

BRIO

LED DOWN LIGHT
LENSE MODEL



Product Specifications

CRI	-	>80
BASE	-	RECESSED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 3000K, 4000K, RED, GREEN, BLUE, PINK
SHAPE	-	ROUND
PRODUCT REMARK	-	LENS BASED DOWNLIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
7W	600	260	DIA 75 mm	DIA 105 mm x HEIGHT 50 mm	50
3W	210	190	DIA 52 mm	DIA 70 mm x HEIGHT 40 mm	50
12W	1020	850	DIA 98 mm	DIA 125 mm x HEIGHT 52 mm	20

ROBOT

7W SMD DOWN LIGHT



Product Specifications

CRI	-	>80
BASE	-	RECESSED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 3000K, RED, GREEN, BLUE, PINK
SHAPE	-	ROUND
PRODUCT REMARK	-	SMD BASED DOWNLIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
7W	700	250	75 mm	DIA 110 mm X HEIGHT 50 mm	50



KINDLE

7+7W MUSHROOM
DOWN LIGHTL



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- WH+BL, WH+GR, WH+PK WH+YE
SHAPE	- ROUND
PRODUCT REMARK	- DUAL COLOUR DOWN LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
7W	560	360	46 mm	DIA 84 mm X HEIGHT 45 mm	40

AMAZE

LED DOWN LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- WH+BL, WH+GR, WH+RD WH+PK, WH+YE
SHAPE	- ROUND
PRODUCT REMARK	- DUAL COLOUR DOWN LIGHT FITS IN DEEP AND CONCEALED BOX



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
12W	960	610	DIA 60 mm	DIA 130 mm x HEIGHT 72 mm	20

MAGIC

LED DOWN LIGHT 6+3 W



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- W+WW, W+G, W+PUR, W+B, W+PNK, W+R
SHAPE	- ROUND
PRODUCT REMARK	- DUAL COLOUR DOWN LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
6W+3W	600	525	75 mm	DIA 110 mm x HEIGHT 65 mm	20

WONDER

LED DOWN LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- W/NW/WW, 7 COLOURS
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- DUAL COLOUR DOWN LIGHT




WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
7W	560	380	DIA 75 mm	110 mm x 49 mm	30
7W	560	420	DIA 75 mm	110 mm x 49 mm	30

WONDER





LED DOWN LIGHT

2 IN 1



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- W+WW, W+B, W+R
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- DUAL COLOUR DOWN LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
7W	560	430	DIA 75 mm	110 mm x 49 mm	30





Magna LED Light |


MAGNA

FIT & TWIST 01



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- 0.5
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 3000K, BLUE, RED, GREEN,
SHAPE	- ROUND
PRODUCT REMARK	- LED DOWNLIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG	SPECIAL REMARK
5W	450	340	DIA 80 mm	DIA 110 mm x HEIGHT 60 mm	30	3000k, 6000k
5W	450	350	DIA 80 mm	DIA 110 mm x HEIGHT 60 mm	30	Blue, Red, Green

MAGNA

FIT & TWIST 02



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- 0.5
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 3000K, BLUE, RED, GREEN, FIXTURE , WHITE, 3000K-5700K, 4000K
SHAPE	- ROUND
PRODUCT REMARK	- ADJUSTABLE DOWNLIGHT COMPATIBLE WITH 3 IN 1 , HONEYCOMB, DIMMABLE LIGHT SOURCE



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING	SPECIAL REMARK
-	-	425	DIA 75 mm	DIA 90 mm x HEIGHT 75 mm	20	FIXTURE

MAGNA

FIT & TWIST 03



Product Specifications

CRI	-	>80
BASE	-	RECESSED
POWER FACTOR	-	0.5
BEAM ANGLE	-	60 DEGREES
COLOUR	-	6500K, 3000K, BLUE, RED GREEN, FIXTURE, WHITE, 3000K-5700K, 4000K
SHAPE	-	ROUND
PRODUCT REMARK	-	ADJUSTABLE DOWNLIGHT COMPATIBLE WITH 3 IN 1, HONEYCOMB, DIMMABLE LIGHT SOURCE WITH PROVISION OF DIFFERENT CAPS



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG	SPECIAL REMARK
-	-	430	DIA 75 mm	DIA 90 mm x HEIGHT 75 mm	20	FIXTURE
-	-	100	DIA 75 mm	DIA 90 mm x HEIGHT 75 mm	20	FIXTURE CAP


MAGNA

COB



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- 0.50
BEAM ANGLE	- 160 DEGREES 20 DEGREES
COLOUR	- 3000K - 5700K, 6500K, 3000K, 400K
SHAPE	- ROUND
PRODUCT REMARK	- SMD 3 IN 1, HONEY COMB, COB DIMMABLE LIGHT SOURCE COMPATIBLE WITH MAGNA FIT AND TWIST 02 AND 03 FIXTURE



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG	PRODUCT REMARK
7W	560	800	DIA 75 mm	DIA 90 mm x HEIGHT 75 mm	20	MAGNA HONEY COMB LIGHT SOURCE
7W	560	1000	DIA 75 mm	DIA 90 mm x HEIGHT 75 mm	20	MAGNA COB DIMMABLE LIGHT SOURCE
7W	700	430	DIA 75 mm	DIA 90 mm x HEIGHT 75 mm	20	MAGNA SMD 3 IN 1 LIGHT SOURCE

LUX

SURFACE DOWN LIGHT



Product Specifications

CRI	- >80
BASE	- SURFACE MOUNTED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND
PRODUCT REMARK	- ELEGANT SURFACE DOWNLIGHT




WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
7W	700	550	DIA 45 mm	DIA 85 mm X HEIGHT 48 mm	20
9W	900	650	DIA 45 mm	DIA 110 mm X HEIGHT 48 mm	20
12W	1200	825	DIA 45 mm	DIA 135 mm X HEIGHT 50 mm	20





LED COB Light |



FLASH

MINI SPOT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- >0.90
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 4000K, 3000K, RED, GREEN, BLUE, PINK
SHAPE	- ROUND, SQUARE
PRODUCT REMARK	- HIGH LUMENS CABINET LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
2W	220	220	DIA 32 mm	DIA 42 mm X HEIGHT 14 mm	120

EVER SHINE

MOVABLE SLIM COB
SPOT LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- 0.6
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND
PRODUCT REMARK	- SLIM MOVABLE METAL BASED COB LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
3W	270	340	DIA 40 mm	DIA 55 mm X HEIGHT 20 mm	20
5W	450	525	DIA 55 mm	DIA 70 mm X HEIGHT 22 mm	20
10W	900	630	DIA 85 mm	DIA 95 mm X HEIGHT 35 mm	20
12W	1080	800	DIA 110 mm	DIA 125 mm X HEIGHT 30 mm	20
20W	1800	1260	DIA 145 mm	DIA 170 mm X HEIGHT 30 mm	10
30W	2700	1890	DIA 190 mm	DIA 235 mm X HEIGHT 35 mm	10

ZEST

MOVABLE COB SPOT LIGHT



Product Specifications

CRI	- >80
BASE	- RECESSED
POWER FACTOR	- 0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND
PRODUCT REMARK	- 360 DEGREE ROTATIONAL COB LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
12W	840	1100	DIA 70 mm	DIA 85 mm X HEIGHT 40 mm	20
18W	1260	1525	DIA 98 mm	DIA 112 mm X HEIGHT 45 mm	10



LUMINO COM SPOT LIGHT

SILVER & GOLD



Product Specifications

CRI	- >80
BASE	- SURFACE MOUNTED
POWER FACTOR	- 0.6
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- ROUND
PRODUCT REMARK	- ELEGANT SPOT LIGHT AVAILABLE IN SILVER AND ROSE GOLD BEAM COLOUR




WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
7W	630	630	DIA 75 mm	DIA 95 mm X HEIGHT 60 mm	20
12W	1080	840	DIA 90 mm	DIA 120 mm X HEIGHT 70 mm	20





LED Track Light |



LUMI

SLIM TRACK LIGHT
LENSE TYPE



Product Specifications


CRI	- >80
BASE	- CHANNEL BASED
POWER FACTOR	- 0.90
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- CYLINDRICAL
PRODUCT REMARK	- SLIM CYLINDRICAL TRACK LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
10W	1000	1100	DIA 55 mm	DIA 135 mm	10
20W	2000	1650	DIA 68 mm	DIA 160 mm	10
30W	3000	2250	DIA 80 mm	DIA 180 mm	10



ILO

SMD TRACK LIGHT -
WHITE



Product Specifications

CRI	- >80
BASE	- CHANNEL BASED
POWER FACTOR	- 0.90
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- RECTANGLE
PRODUCT REMARK	- UNIQUE SHAPE TRACK LIGHT WITH BETTER COVERAGE



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
30W	2700	4000	-	137 mm X 47 mm X 220 mm	10


SHINE

ADJUSTABLE
TRACK LIGHT -
WHITE & BLACK



Product Specifications

CRI	-	>80
BASE	-	CHANNEL BASED
POWER FACTOR	-	0.90
BEAM ANGLE	-	15 – 60 DEGREES
COLOUR	-	5700K, 4000K, 3000K
SHAPE	-	CYLINDRICAL
PRODUCT REMARK	-	ADJUSTABLE BEAM ANGLE TRACK LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
25W	2500	4000	DIA 72 mm	LENGTH 175 mm	6

ADORE
TRACK LIGHT -
WHITE & BLACK



Product Specifications

CRI	- >80
BASE	- CHANNEL BASED
POWER FACTOR	- 0.90
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 4000K, 3000K
SHAPE	- CYLINDRICAL
PRODUCT REMARK	- SLIM CYLINDRICAL TRACK LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
10W	1000	1300	DIA 60 mm	LENGTH 130 mm	10
20W	2000	1850	DIA 70 mm	LENGTH 155 mm	10
30W	3000	2450	DIA 80 mm	LENGTH 185 mm	10

DORA

DIMMABLE TRACK LIGHT



Product Specifications

CRI	- >80
BASE	- CHANNEL BASED
POWER FACTOR	- 0.90
BEAM ANGLE	- 60 DEGREES
COLOUR	- 3000K-5700K
SHAPE	- CYLINDRICAL
PRODUCT REMARK	- 3 CCT WITH DIMMABLE LIGHT SOURCE TRACK LIGHT




WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
25W	2500	8700	DIA 92 mm	LENGTH 140 mm	6
REMOTE	-	600	-	-	1

IXIA
HANGING LIGHT



Product Specifications

CRI	- >80
BASE	- HANGING
POWER FACTOR	- 0.90
BEAM ANGLE	- 60 DEGREES
COLOUR	- 6500K, 4000K, 3000K,
SHAPE	- CYLINDRICAL
PRODUCT REMARK	- ELEGANT HANGING CYLINDRICAL LIGHT



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
10W	1000	1750	DIA 50 mm	LENGTH 600 mm	6


SANA

BULK HEAD LIGHT



Product Specifications

CRI	- >80
BASE	- WALL MOUNTED
POWER FACTOR	- 0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K
SHAPE	- OVAL
PRODUCT REMARK	- HIGH EFFICIENT LIGHT WITH LOW POWER CONSUMPTION



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
12W	1080	650	-	LENGTH 186 mm x WIDTH 98 mm x HEIGHT 54 mm	20



LED Strip cum Rope Light |



AMBI

STRIP LIGHT



Product Specifications

CRI	-	>80
BASE	-	WIRED
POWER FACTOR	-	0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K, 3000K, 4000K, RED, GREEN, BLUE, PINK ICE BLUE, AMBER
SHAPE	-	STRIP
PRODUCT REMARK	-	WITH IP 20 HIGH LUMENS LED STRIP LIGHT




LED / METER	LUMENS (LMS)	MRP	WIDTH OF STRIP	LENGTH OF STRIP	PACKAGING	SPECIAL REMARK
60 LED PER METER	2500 Lm	600	8 mm	5000 mm	100 mtr	LED PACKAGE 2835
120 LED PER METER	3500 Lm	1270	8 mm	5000 mm	100 mtr	LED PACKAGE 2835
240 LED PER METER	4500 Lm	1620	10 mm	5000 mm	100 mtr	LED PACKAGE 2835
60 LED PER METER	5000 Lm	820	10 mm	5000 mm	250 mtr	LED PACKAGE 5050 - 6K,4K,3K
60 LED PER METER	5000 Lm	850	10 mm	5000 mm	250 mtr	LED PACKAGE 5050 - COLOUR
60 LED PER METER	5000 Lm	920	10 mm	5000 mm	250 mtr	LED PACKAGE 5050 - RGB
60 LED PER METER	4000 Lm	700	8 mm	5000 mm	250 mtr	LED PACKAGE 5050 S - 6K,4K,3K
60 LED PER METER	4000 Lm	730	8 mm	5000 mm	250 mtr	LED PACKAGE 5050 S - COLOUR



Outdoor Lighting |

ELUMX

FLOOD LIGHT LENSE TYPE



Product Specifications

CRI	- >80
BASE	- MOUNTED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K, 3000K, RED, GREEN, BLUE, PINK
SHAPE	- RECTANGLE
PRODUCT REMARK	- POWER SAVER WITH IP 66 RATING



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
30W	3300	1950	-	200 mm x 162 mm x 35 mm	20
50W	5500	2650	-	248 mm x 190 mm x 35 mm	10
100W	11000	4800	-	294 mm X 218 mm X 44 mm	5
150W	16500	8000	-	345 mm X 280 mm X 42 mm	5
200W	22000	12000	-	383 mm X 281 mm X 44 mm	5

ELUMX

STREET LIGHT
LENSE MODEL



Product Specifications

CRI	-	>80
BASE	-	POUL MOUNTED
POWER FACTOR	-	>0.90
BEAM ANGLE	-	120 DEGREES
COLOUR	-	6500K
SHAPE	-	RECTANGLE
PRODUCT REMARK	-	POWER SAVER WITH IP 66 RATING



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
24W	2640	1900	-	292 mm x 120 mm x 46 mm	20
36W	3960	2300	-	333 mm x 145 mm x 46 mm	20
50W	5500	2900	-	370 mm x 170 mm x 46 mm	10
100W	11000	5150	-	418 mm x 200 mm x 50 mm	5


ELUMX PRO

DAY NIGHT SENSOR STREET



Product Specifications

CRI	- >80
BASE	- POUL MOUNTED
POWER FACTOR	- >0.90
BEAM ANGLE	- 120 DEGREES
COLOUR	- 6500K
SHAPE	- RECTANGLE
PRODUCT REMARK	- DAY AND NIGHT AUTO CUTOFF WITH IP 66 RATING



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG
45W	4950	3150	-	370 mm x 170 mm x 46 mm	10

GLS

NIGHT LAMP



Product Specifications

BASE	- B22
COLOUR	- CLEAR
SHAPE	- ROUND
PRODUCT REMARK	- FILAMENT BASED GLASS BULB



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGING
15W	135	20	DIA 45 mm	LENGTH 68 mm	240

GLS
REGULAR LAMP



Product Specifications



BASE	- B22
COLOUR	- CLEAR
SHAPE	- MUSHROOM & ROUND
PRODUCT REMARK	- FILAMENT BASED GLASS BULB



WATTAGE	LUMENS (LMS)	MRP	CUT OUT	DIMENSION	PACKAGINIG	SPECIAL REMARK
25W	225	16	DIA 55 mm	LENGTH 108.5 mm	100	250V
40W	410	16	DIA 55 mm	LENGTH 108.5 mm	100	250V
60W	695	16	DIA 55 mm	LENGTH 108.5 mm	100	250V
100W	1320	16	DIA 55 mm	LENGTH 108.5 mm	100	410V, 320V, 250V
200W	2950	30	DIA 70 mm	LENGTH 108.5 mm	50	250V

Our Pan India Network



Our Journey |



1967

1999

2016

56
Years
Trust



Jayanta Lighting Innovation LLP

T 70 Teghoria, P.O Hatiara Kolkata - 700157

Toll Free: 1800 212 666 333 | info@orientled.in | www.orientled.in

